

# **Colonoscopy Bowel Preparation**

## Afternoon (PM) Procedure

You will need to buy from your pharmacy: **1 pack of Plenvu**. Please disregard the instructions on the packets and follow this sheet instead.

Flushing the bowel clean of faeces is <u>very important</u> to ensure your doctor can see the inside of your colon clearly. If your colon is not clean, the procedure may have to be stopped or repeated. Please adhere to these instructions.

## 7 Days Before

Stop anti-diarrhoeal and iron tablets

### 2 Days Before

Low fibre diet (see Page 2)

#### 1 Day Before

Breakfast and Lunch: Low fibre diet.

**1pm:** Clear fluids only from now

**7pm**: Mix Dose 1 of Plenvu in 500ml of water and drink. Continue to drink clear fluids.

### Day of Colonoscopy

8am: Mix Dose 2 (Sachets A and B) of Plenvu in 500ml of water and drink.

**9am:** You are now fasting (you may have your morning medications with a sip of water; no diabetic tablets). No food, chewing gum, lollies or drinks.

If you have any questions, please go to:

https://monashhealth.org/services/gastroenterology/patients/endoscopy/ or call the Endoscopy Bookings Office on 1800 786 188.



	Low Fibre Diet, includes:
	- white bread, white rice, pasta, noodles
10.0	- eggs (not fried), cheese
	- well-cooked vegetables (no skin)
	- chicken, fish
	- cereal
	- biscuits
	No grains, seeds, nuts, red meat, fruit, wholemeal
	bread/cereal, corn, peas, celery, carrots
	, , , , , , , , , , , , , , , , , , , ,
	Clear fluids, includes:
	- water
	- cordial
	- coffee or tea (no milk)
	- clear fruit juice (no pulp)
	- soft drink
	- clear broth
	<b>No</b> red or purple liquids, milk
	and the sequence, some
	Tips:
\9/	- drink clear fluids as much as possible to prevent dehydration
	(aim to drink 3-6 glasses of water whilst taking the prep)
9	- bowel prep will cause diarrhoea. Stay near a toilet.
	- finish <b>all</b> the prep!
L	