

| TUMOUR           | TRIAL                 | Line              | KEY POINTS - TRIAL/AGENT   | PI | SC |
|------------------|-----------------------|-------------------|--|----|----|
| Breast           | INAVO                 | 1 <sup>st</sup>   | A ph III study evaluating Inavolisib in combo with Phesgo vs placebo in combi with phesgo as maintenance therapy after 1st line induction tx in pts w PIK3CA mutated HER2 positive locally advanced or metastatic breast cancer  | MW | JG |
| Breast           | CAMBRIA-2             | Adj               | A Ph III, study to assess Camizestrant (AZD9833) vs Standard Endocrine Therapy for pts With ER+/HER2- Early Breast Cancer and an Intermediate-High/High Risk of Recurrence Who Have Completed Definitive Locoregional Treatment and Have No Evidence of Disease  | AM | RC |
| Breast           | OLIO                  | Neoadj.           | A ph II, randomised, non-comparative two-arm trial of neoadjuvant chemo plus either olaparib or olaparib + durvalumab in young, pre-menopausal women with HRD-enriched, HR-positive, HER2-negative early breast cancer   | AM | RC |
| Breast           | MONITOR HER2          | N/A               | Frequency of Cardiac Monitoring in Patients Treated with HER2-Directed Therapies for Breast Cancer   | DD | JG |
| Breast           | CECI830A12101         | 2 <sup>nd</sup>   | Ph I/II study of ECI830 as a single agent and in combination with ribociclib and endocrine therapy in patients with advanced hormone receptor positive, HER2-negative breast cancer and advanced solid tumors  | MW | JG |
| Breast           | DESTINY BREAST 15     | 2 <sup>nd</sup>   | Ph 3b, Multicenter, Global, Interventional, Open-label Study of T-DXd, an Anti-HER2-ADC, in Subjects who Have Unresectable and/or Metastatic HER2-low or HER2 IHC 0 Breast Cancer  | MW | JG |
| Breast           | OPERA-01              | 2nd +             | Ph 3 study of OP-1250 monotherapy VS SOC for the tx of ER+, HER2- advanced or metastatic breast cancer following endocrine and CDK 4/6 inhibitor therapy   | DD | RC |
| Breast           | Ascent-05             | 1 <sup>st</sup>   | A Ph 3 study of adjuvant sacituzumab govitecan and pembrolizumab vs treatment of physician's choice in patients with TNBC who have residual invasive disease after surgery and neoadjuvant therapy   | MW | JG |
| Breast           | STML-ELA-0422         | Adj               | Elaestrantrant versus Standard Endocrine Therapy in Women and Men with Node-positive, Estrogen Receptor-positive, HER2-negative, Early Breast Cancer with High Risk of Recurrence—A Global, Multicenter, Randomized, Open-label Phase 3 Study (ELEGANT)  | MW | JG |
| Breast           | CLEE011O12001         | Adj               | A phase IIIb study to characterize the efficacy and safety of Adjuvant ribociclib plus endocrine therapy in a close-to-clinical practice patient population with HR+ HER2- early breast cancer (Adjuvant WIDER)  | MW | JG |
| Breast           | OP1250-302 (Opera-02) | 1 <sup>st</sup>   | A Phase 3 Randomized, Double-Blind, Active-Controlled Study of Palazestrant with Ribociclib Versus Letrozole with Ribociclib for the First-Line Treatment of ER+, HER2- Advanced Breast Cancer (OPERA-02)  | AM | JG |
| Breast           | MK2870-032            | 1 <sup>st</sup>   | A Phase 3, Randomized, Open-label Study to Evaluate the Efficacy and Safety of sac-TMT (Sacituzumab Tirumotecan, MK-2870) Followed by Carboplatin/Paclitaxel vs Chemotherapy, Both in Combination With Pembrolizumab as Neoadjuvant Therapy for High-Risk, Early-Stage, Triple-Negative Breast Cancer or Hormone Receptor-low Positive/Human Epidermal Growth Factor Receptor-2 Negative Breast Cancer | MW | RC |
| All tumour types | KN-587                | Any               | Ph 3, Long term safety and efficacy in patients currently on treatment or followup from a Pembrolizumab trial  | DL | KB |
| Biliary Tract    | DESTINY-Biliary-01    | 1 <sup>st</sup>   | Ph 3 Study of Trastuzumab Deruxtecan (T-DXd) and Rilvestostigmine vs Standard-of-Care Gemcitabine, Cisplatin, and Durvalumab for First Line Locally Advanced or Metastatic HER2-expressing Biliary Tract Cancer  | ZW | JP |
| Solid Tumours    | HERTHENA              | 2 <sup>nd</sup> + | A Phase 2, Multicenter, Multicohort, Open-Label, Proof of Concept Study of Patritumab Deruxtecan (HER3-DXd; U3-1402) in Subjects with Locally Advanced or Metastatic Solid Tumors  | SF | SH |
| Solid Tumours    | Genescreen            | Any               | GeneScreen 5-FU: DPYD Genotype-guided dose Personalisation for Fluoropyrimidine prescribing in Solid Organ Cancer Patients   | ZW | MJ |
| Unknown primary  | SUPER-ED              | NA                | Solving Unknown Primary cancer Earlier Diagnosis (SUPER-ED): A stepped wedge cluster randomised controlled trial implementing a Model of Care to support earlier diagnosis   | ZW | KB |
| Pancreas         | NEOFOL-R              | 1 <sup>st</sup>   | Efficacy of Neoadjuvant FOLFIRINOX in Resectable pancreatic cancer: An international multicenter Randomized, controlled trial  | DL | MJ |
| Biliary Tract    | BIL-PPP               | 2 <sup>nd</sup> + | Phase II study of the combination of durvalumab (MEDI4736) (PDL1 inhibitor) and olaparib (PARP inhibitor) in advanced cholangiocarcinoma after initial chemotherapy and durvalumab (BIL-PPP)   | DL | SH |
| GOJ              | Destiny gastric 05    | 1 <sup>st</sup>   | A Multicenter, Randomized, Open-Label, Phase 3 Trial of Trastuzumab Deruxtecan (Enhertu®) Plus Chemotherapy Plus or Minus Pembrolizumab versus Chemotherapy Plus Trastuzumab Plus or Minus Pembrolizumab as First-line Treatment in Participants with Unresectable, Locally Advanced or Metastatic HER2-positive Gastric or Gastroesophageal Junction (GEJ) Cancer (DESTINY-Gastric05)                 | DL | MJ |
| Gastric/GOJ      | Lucerna               | 1 <sup>st</sup>   | A Phase 3, Double-blind, Randomized Study of Zolbetuximab in Combination With Pembrolizumab and Chemotherapy (CAPOX or mFOLFOX6) in First-line Treatment of Locally Advanced Unresectable or Metastatic Gastric or Gastroesophageal Junction Adenocarcinoma in Participants Whose Tumors Are HER2-negative, Claudin (CLDN) 18.2-positive and Programmed Death-ligand 1 (PD-L1)-Positive                | ZW | KB |
| Colorectal       | KANDLELIT-012         | 1 <sup>st</sup>   | A Phase 3, Randomized, Open-label, Multicenter Clinical Study to Evaluate the Safety and Efficacy of MK-1084, Cetuximab, and mFOLFOX6 versus mFOLFOX6 With or Without Bevacizumab as First-line Treatment of Participants With KRAS G12C-mutant, Locally Advanced Unresectable or Metastatic Colorectal Cancer (KANDLELIT-012)   | ZW | JP |
| Pancreas         | PemOla                | Any               | A phase II study combining pembrolizumab with olaparib in metastatic pancreatic adenocarcinoma patients with mismatch repair deficiency or tumour mutation burden > 4 mutations/Mb   | AS | MJ |
| Prostate         | AMG 509               | 3 <sup>rd</sup>   | Ph I, AMG 509 in Subjects with Metastatic Castration-resistant Prostate Cancer   | HH | LD |

|               |                   |                   |   |    |    |
|---------------|-------------------|-------------------|---|----|----|
| Prostate      | MK5684-004        | 2 <sup>nd</sup> + | Ph 3, Randomized, Open-label Study of MK-5684 vs Alternative Abiraterone Acetate or Enzalutamide in pts w mCRPC That Progressed On or After Prior Treatment with One Nextgeneration Hormonal Agent (NHA)  | HH | SM |
| Prostate      | GO44537           | 2 <sup>nd</sup> + | Ph I, Open-Label, Multicenter, Dose-Escalation And Expansion Study Evaluating The Safety, Pharmacokinetics, And Activity Of RO7656594 In pts w Advanced Or Metastatic Prostate Cancer   | EL | LD |
| Prostate      | MEVPRO-1 C2321014 | 2 <sup>nd</sup> + | A Ph 3, Randomized, Open-Label Study Of PF-06821497 (Mevrometostat) In Combo With Enzalutamide Compared With Enzalutamide Or Docetaxel In Participants With Metastatic Castration Resistant Prostate Cancer Previously Treated With Abiraterone Acetate | HH | EQ |
| Prostate      | 20230005          | 2 <sup>nd</sup> + | A Ph 3 Study of Xaluritamig vs Cabazitaxel or Second Androgen Receptor-Directed Therapy in pts w Metastatic Castration-Resistant Prostate Cancer Previously Treated With Chemotherapy   | HH | SW |
| Prostate      | CJSB462C12201     | 1 <sup>st</sup>   | A Phase II, randomized, open-label, multi-center study of JSB462 (luxdegalutamide) in combination with abiraterone in adult male patients with metastatic hormone-sensitive prostate cancer (mHSPC)   | HH | HG |
| Endocrinology | I-FIRST           | Any               | A Prospective, Multi-Centre Trial of TKI Redifferentiation Therapy in Patients with RAI-R Thyroid Cancer (I-FIRST study)  | MM | LD |
| Prostate      | AMG 20230239      | 1 <sup>st</sup>   | A Phase 3, Open-label, Multicenter, Randomized Study of Xaluritamig Plus Abiraterone Versus Investigator's Choice in Participants with Chemotherapy-naïve Metastatic Castration-resistant Prostate Cancer   | DP | SL |
| HNSCC         | GS-US-699-7184    | 2 <sup>nd</sup> + | A Phase 2 Platform Study of Novel Combination Therapies in Participants With Head and Neck Squamous Cell Carcinoma  | MA | EQ |
| Neuro         | LUMOS2            | 2 <sup>ND</sup>   | Phase 2, multi-centre, open-label, biomarker-directed, umbrella, clinical trial for recurrent IDH mutant, grade 2/3 glioma.   | EA | SL |

 Breast  
  Gastrointestinal (GI)  
  Lung  
  Genitourinary (GU)  
  Gynaecology  
  Head & Neck  
  Skin  
  Neuro  
  PH 1

| TUMOUR                   | TRIAL          | Line              | KEY POINTS - TRIAL/AGENT   | PI | SC |
|--------------------------|----------------|-------------------|--|----|----|
| NSCLC                    | OCEANiC        | Adjuvant          | Phase II, Open-label, Multi-centre Clinical Trial of Osimertinib With or Without Adjuvant Chemotherapy Guided by Tumour NGS Co-mutation Status and ctDNA Detection in Patients With Stage IIA-IIIA EGFR-Mutant NSCLC Following Complete Surgical Resection   | SA | BN |
| NSCLC                    | eVOLVE lung 02 | 1 <sup>st</sup>   | Ph III, Two-Arm, Parallel, Randomized, Multi-Center, Open-Label, Global Study to Determine Efficacy of Volrustomig (MEDI5752) + Chemo vs Pembrolizumab + chemo for First-Line Treatment of pts with mNSCLC   | SA | BN |
| NSCLC                    | MK-2870-004    | 3 <sup>rd</sup>   | A Randomized, Open-label, Ph 3 Study of MK-2870 vs Chemotherapy (Docetaxel or Pemetrexed) in Previously Treated Advanced or Metastatic Nonsquamous Non-small Cell Lung Cancer (NSCLC) with EGFR Mutations or Other Genomic Alterations   | SA | BN |
| NSCLC                    | Tropion-10     | 1 <sup>s</sup>    | Ph III Study of Dato-DXd in Combo w AZD2936 or AZD2936 Monotherapy vs Pembro Monotherapy for First-line tx of Pts w Locally-advanced or Metastatic Non-squamous NSCLC With High PD-L1 Expression and Without Actionable Genomic Alterations  | SA | BN |
| NSCLC                    | Tropion-14     | 1 <sup>st</sup>   | Ph III Study of Osimertinib With or Without Dato-DXd as First-line Treatment in Participants w/ EGFR Mutation-positive, Locally Advanced or Metastatic NSCLC   | SA | HS |
| Meso                     | eVOLVE meso    | 1 <sup>st</sup>   | Ph III, Randomized, Study of Volrustomig (MEDI5752) in Combo w Carboplatin plus Pemetrexed vs Platinum plus Pemetrexed or Nivolumab plus Ipilimumab in pts with Unresectable Pleural Mesothelioma  | SA | AF |
| SCLC                     | DeLLphi- 306   | Adjuvant          | A Phase 3, Randomized, double-blind, placebo-controlled, multicentre study of Tarlatamab Therapy in subjects with limited stage small cell lung cancer (LS-SCLC) who have not progressed following concurrent chemoradiation therapy.  | SA | BN |
| SCLC                     | DeLLphi-309    | 2 <sup>nd</sup>   | A Phase 2, Open-label, Randomized, Multicenter Study of Tarlatamab Dosing Regimens in Subjects with SCLC   | SA | ZF |
| SCLC                     | Dellphi-312    | 1 <sup>st</sup>   | A Phase 3, Open Label, Multicenter, Randomized Study of First Line Tarlatamab in combination with Durvalumab, Carboplatin and Etoposide versus Durvalumab, Carboplatin and Etoposide in Untreated Extensive Stage Small-Cell Lung Cancer (DeLLphi-312)   | SA | AF |
| Endometrial              | XPORT-EC-042   | 2 <sup>nd</sup> + | Selinexor in Maintenance Therapy After Systemic Therapy for Participants With p53 Wild-Type, Advanced or Recurrent Endometrial Carcinoma   | KW | HT |
| Ovarian                  | IMGN853-0425   | 2 <sup>nd</sup> + | A randomized Phase 2, open-label study of mirvetuximab soravtansine in patients with platinum-resistant advanced high-grade epithelial ovarian, primary peritoneal, or fallopian tube cancers with high folate receptor-alpha expression testing 2 schedules of administration for dose optimization, with a separate cohort to determine starting dose in patients with moderate hepatic impairment | KW | ED |
| Gynaecological Neoplasms | IMGN151-1001   | 2 <sup>nd</sup> + | A Phase 1, First-in-Human, Open-Label, Dose-Escalation and Expansion Study of IMGN151 (anti-FR $\alpha$ antibody-drug conjugate) in Adult Patients with Recurrent Gynaecological Cancers   | KW | DG |
| Ovarian                  | FLORENZA       |                   | A Phase 2, Open-Label, Randomized, Master Protocol Dose Optimization Study to Evaluate Safety and Efficacy of Multiple Treatment Combinations with Mirvetuximab Soravtansine in Subjects with Ovarian Cancer (FLORENZA)  | KW | ED |
| Ovarian                  | Catalina-2     | 2 <sup>nd</sup> + | A Phase 2 Study Evaluating the Efficacy and Safety of TORL-1-23 in Women With Advanced Platinum-Resistant Epithelial Ovarian Cancer (Including Primary Peritoneal and Fallopian Tube Cancers) Expressing Claudin 6   | GH | DS |

| TUMOUR       | TRIAL               | Line              | KEY POINTS - TRIAL/AGENT  | PI | SC |
|--------------|---------------------|-------------------|---|----|----|
| Solid Tumour | SR854A-001          | 2 <sup>nd</sup> + | Phase 1, Dose Escalation, Safety, Tolerability, and Pharmacokinetic Study of SR-8541A (ENPP1 inhibitor) Administered Orally as Monotherapy in Subjects with Advanced/Metastatic Solid Tumors  | AB | LS |
| Solid Tumour | EOHC-1001-101       | 2 <sup>nd</sup> + | Ph1, dose escalation of EO1001 (oral pan-ErbB inhibitor) in patients with Advanced solid tumours positive for EGFR, HER2 or HER4.   | SF | PM |
| Solid Tumour | VT3989-001 - Vivace | 2 <sup>nd</sup> + | Phase I/II, Multi-Center, Open-Label Study of VT3989, Alone or in Combination, in pts with Locally Advanced or Metastatic Solid Tumors  | AB | PM |
| Solid Tumour | CP-AU-007-01        | 2 <sup>nd</sup> + | Ph 1 first in human dose escalation of AU-007 monoclonal antibody to IL2 in advanced solid tumours  | SF | OC |
| Solid Tumour | MK-1084             | 2 <sup>nd</sup> + | Ph 1, MK-1084 (KRAS G12C inhibitor) as monotherapy in advanced solid tumours or in combination with pembrolizumab (NSCLC)   | EA | HA |
| Solid Tumour | AXA-042-FIH-01      | 2 <sup>nd</sup> + | Ph1, A Phase 1a/1b, first-in-human, open-label, non-randomized, multicenter, dose-escalation and dose-expansion study to evaluate the safety, tolerability, pharmacokinetics, and pharmacodynamics of AXA-042 as monotherapy and in combination with checkpoint inhibitors in subjects with advanced solid tumours. | SF | HA |
| Solid Tumour | Genentech GO43860   | 2 <sup>nd</sup> + | A Phase 1a/1b open label, multicentre, dose-escalation study to evaluate the safety, pharmacokinetics, and activity of RO7502175 as a single agent and in combination with atezolizumab in patients with locally advanced or metastatic solid tumours   | SF | HA |
| Solid Tumour | HM-EZHI-101         | 2 <sup>nd</sup> + | A Phase I, Open-Label, Multicenter, Dose Escalation and Expansion Study of HM97662 as a Single Agent in Patients With Advanced or Metastatic Solid Tumours  | AB | KD |
| Solid Tumour | GS-US-570-6015      | 2 <sup>nd</sup> + | Phase 1 study of GS-1811 as monotherapy and in combination with a checkpoint inhibitor in patients with advanced solid tumours  | DD | PM |
| Solid Tumour | IOS-1002-201        | 2 <sup>nd</sup> + | Ph 1a/1b, FIH, open-label, non-randomized, multicenter, dose-escalation and cohort expansion study to IOS-1002 administered alone and in combo with a PD-1 monoclonal antibody in advanced solid tumors   | EA | LM |
| Solid Tumour | AWT020              | 2 <sup>nd</sup> + | Ph 1/2, FIH, Open-label Study of Single-agent AWT020 in pts w Progressive Locally Advanced or Metastatic Cancer   | SF | LS |
| Solid Tumour | DCSZ11-101          | 2 <sup>nd</sup> + | Ph 1, Multicenter, Open-Label, Dose Escalation, and Dose Expansion Study to DCSZ11 as a Monotherapy and in Combo in pts with Advanced or Metastatic Solid Tumors  | DD | HA |
| Solid Tumour | BG-68501-101        | 2 <sup>nd</sup> + | A Phase 1a/1b Study of BG-68501 a Selective CDK2 Inhibitor, in Participants With Advanced Solid Tumors  | DD | LS |
| Solid Tumour | BG-C9074-101        | 2 <sup>nd</sup> + | Ph 1a/1b Study of BG-C9074, an ADC Targeting B7H4, as Monotherapy and in combo w/ Tislelizumab in pts With Advanced Solid Tumors  | AB | OC |
| Solid Tumour | PMV-586-101         | 2 <sup>nd</sup> + | A Ph 1/2 Open-label, Multicenter Study to Assess PC14586 in pts w/ Locally Advanced or Metastatic Solid Tumors Harboring a TP53 Y220C Mutation  | AB | KD |
| Solid Tumour | PRT7732-01          | 2 <sup>nd</sup> + | A Phase 1 Open-Label, Multi-Center, Safety and Efficacy Study of PRT7732, an Oral SMARCA2 Degrader, in Patients with Advanced or Metastatic Solid Tumors with a SMARCA4 Mutation  | AB | LM |
| Solid Tumour | DM001001            | 2 <sup>nd</sup> + | A Phase I, Multicenter, Open-label, FIH, Dose Escalation and Expansion Study of DM001 in Patients with Advanced Solid Tumors  | SF | OC |
| Solid Tumour | YL211-INT-101-01    | 2 <sup>nd</sup> + | A Phase 1, Multicenter, Open-Label, First-in-Human Study to Evaluate the Safety, Tolerability, Pharmacokinetics, and Efficacy of YL211 in Patients with Advanced Solid Tumors   | SF | OC |
| Solid Tumour | BGB-53038-101       | 2 <sup>nd</sup> + | A Ph 1a/1b Study to Investigate BGB-53038, a Pan-KRAS Inhibitor, as Monotherapy or in Combo in Patients With Advanced or Metastatic Solid Tumors With KRAS Mutations or Amplification   | SF | HA |
| Solid Tumour | BG-C137-101         | 2 <sup>nd</sup> + | A Phase 1a/b, Open-label, Multicenter Study to Investigate BG-C137, an Antibody-Drug Conjugate Targeting FGFR2b, in Patients With Advanced Solid Tumors   | AB | LM |
| Solid Tumour | PAUF-I              | 2 <sup>nd</sup> + | A FIH, Phase 1/2a, Multicentre, Open-label Study Evaluating PBP1510 in Patients with Advanced/Metastatic Pancreatic Cancer  | AB | PM |
| Solid Tumour | BGB-58067-101       | 2 <sup>nd</sup> + | A Ph 1a/b Study Investigating BGB-58067, an MTA-Cooperative PRMT5 Inhibitor in Patients With Advanced Solid Tumors  | EA | LM |
| Solid Tumour | CP-IVX037           | 2 <sup>nd</sup> + | A ph 1 study of intratumoral IVX037 as monotherapy or in combo w an immune checkpoint inhibitor in pts w advanced/metastatic solid tumors   | SF | LM |
| Solid Tumour | BNT317              | 2 <sup>nd</sup> + | Ph I, FIH, open-label, dose escalation study of BNT317 in pts w advanced solid tumors   | SF | PM |
| Solid Tumour | CS2009-101          | 2 <sup>nd</sup> + | Ph I, Dose-Escalation and Dose-Expansion Study to Evaluate CS2009, a tri-specific antibody targeting PD-1/VEGFA/CTLA-4, in Participants with Advanced Solid Tumors  | SF | PM |
| Solid Tumour | BM230-01            | 2 <sup>nd</sup> + | Ph I, Multicenter, Non-randomized, Open-label Study to Evaluate the Safety, Tolerability, Pharmacokinetics, and Efficacy of BM230 in Patients with Advanced Solid Tumors  | EA | LS |
| Solid Tumour | SNV1521-101         | 2 <sup>nd</sup> + | Ph I, open-label dose escalation and expansion study of SNV1521 in pts with advanced solid tumors   | SF | LS |
| Solid Tumour | SNV4818-101         | 2 <sup>nd</sup> + | Ph I, Open-Label Dose Escalation and Expansion Study of SNV4818 as Monotherapy or in combo w other Anticancer Agents in pts with Advanced Solid Tumors.   | SF | OC |
| Solid Tumour | MOMA-341-001        | 2 <sup>nd</sup> + | A Phase 1 Study of MOMA-341 as Monotherapy or Combination Therapy in Participants with Advanced or Metastatic Solid Tumors  | EA | LM |

**Stream Contact Numbers**

Breast – 0459 302 205  
 Gynaecological – 0491 299 561  
 GI – 0436 386 758  
 Lung – 0417 607 416  
 GU/neuro/Head & Neck/skin – 0436 387 664  
 Phase 1 – 0474 769 510

**List of Principal Investigators at Monash Health:**

Associate Professor Zee Wan Wong (ZW)  
 Associate Professor Surein Arulananda (SA)  
 Associate Professor Peter Briggs (PB)  
 Associate Professor Marion Harris (MH)  
 Associate Professor David Pook (DP)  
 Associate Professor Andrew Strickland (AS)  
 Associate Professor Michelle White (MW)  
 Dr Elizabeth Ahern (EA)  
 Dr Muhammad Alamgeer (MA)  
 Dr Adithya Balasubramaniam (AB)  
 Dr Amy Body (AB)  
 Dr Daphne Day (DD)  
 Dr Sophia Frentzas (SF)  
 Dr Harriet Herbison (HH)  
 Dr Joshua Hurwitz (JH)  
 Dr Gwo Yaw Ho (GH)  
 Dr Elizabeth Liow (EL)  
 Dr Amelia McCartney (AM)  
 Dr Kate Webber (KW)  
 Dr Michael Mond (MM)